

Message

---

**From:** Rosenberg, Alex [Rosenberg.Alex@epa.gov]  
**Sent:** 1/23/2017 7:08:29 PM  
**To:** Kipka, Undine [kipka.undine@epa.gov]  
**Subject:** RE: MBTA CRMF (MA0003590) - Draft 308

Hey Undine

Very good letter.

The only comment I have is **Ex. 5 Deliberative Process (DP)**

# Ex. 5 Deliberative Process (DP)

Good luck

Alex

I'm going to be out the rest of the week, so if for some reason you need to follow up with me try my desk phone extension.

---

**From:** Kipka, Undine  
**Sent:** Monday, January 23, 2017 10:37 AM  
**To:** Rosenberg, Alex <Rosenberg.Alex@epa.gov>  
**Cc:** Borci, Todd <Borci.Todd@epa.gov>; Harding, George <harding.george@epa.gov>  
**Subject:** MBTA CRMF (MA0003590) - Draft 308

Hi Alex,

Please see a draft 308 for the MBTA Commuter Rail Maintenance Facility attached and let me know if you have any comments or questions.

Thanks,

Undine Kipka  
*Environmental Engineer*  
U.S. Environmental Protection Agency - Region 1  
5 Post Office Square - OEP06-01  
Boston, MA 02109-3912  
(617) 918 1335



Please consider the environment before printing.